

WATTYL NEW ZEALAND LIMITED
2 PATIKI ROAD AVONDALE
PO BOX 1545 AUCKLAND
TELEPHONE NUMBER (09) 8284 009
FACSIMILE NUMBER (09) 8281 883

PRODUCT SAFETY CARD

ISSUED 16.06.99

PRODUCT: 814521

KILLRUST RUST EETER

PRODUCT IDENTIFICATION

UN NO:1263	DG CLASS: 3 HAZ CHEM 3[Y]
POISON: 3 rd Schedule	PKG GROUP 111

PHYSICAL DESCRIPTION / PROPERTIES:

APPEARANCE: A straw coloured flammable liquid with a strong odour.

FORMULA:

Synthetic resin	20 - 40 % w/v	Boiling range:	100 - 200°C
Solvents	60 - 80 % w/v	Vapour Pressure:	>1
		Volatile Component:	Organic solvents
		Specific Gravity:	1.02
		Form:	Liquid

HAZARDOUS INGREDIENTS

		CAS NO	PROPORTION:
Xylene	TWA 435 mg/m ³	1330-20-7	35-50%
Methyl Carbitol	TWA Not Known	111-77-3	15-25%
Cyclohexanone	TWA 100 mg/m ³	108-94-1	10-20%
Gallic Acid	TWA Not known	149-91-7	<5%

FIRE AND EXPLOSION HAZARD INFORMATION

Flashpoint °C (method) not known	Flammability limits %vol not known	Auto ignition temperature 360°C
--	--	---

Flammability Fire / Explosion Data:

Flammable liquid. Avoid all ignition sources, heat sparks and naked flames. Recommended extinguishers Dry powder, Foam CO₂ or water spray.

Hazardous decomposition products on burning: Carbon monoxide, Carbon dioxide. Fire fighters to wear self contained breathing apparatus. Vapours are heavier than air and may pool in depressions resulting in oxygen deficiencies.

EMERGENCY AND FIRST AID PROCEDURES

Eye Contact: Flush eyes with water for at least 15 minutes. (Remove contact lenses if worn). Seek medical advice	Skin Contact: Remove contaminated clothing. Wash contact areas with soap and water. If irritation occurs seek medical assistance. Launder contaminated clothing before re use.
Inhalation: Non considered to be a hazard.	Ingestion: Do not induce vomiting. Give several glasses of water, seek medical advice.

ADVICE TO DOCTOR: Treat patient symptomatically. Contact Poisons Centre.

WATTYL NEW ZEALAND LIMITED
2 PATIKI ROAD AVONDALE
PO BOX 1545 AUCKLAND
TELEPHONE NUMBER (09) 8284 009
FACSIMILE NUMBER (09) 8281 883

PRODUCT SAFETY CARD

ISSUED 16.06.99

PRODUCT: 814521

KILLRUST RUST EETER

HEALTH HAZARD INFORMATION

Acute Effects:

Eye: A slight eye irritant. High concentrations of vapour may cause irritation.

Skin: Harmful in contact with the skin, may result in irritation due to defatting. Prolonged or repeated contact may lead to irritation, dermatitic effects and skin sensitization.

Inhalation: Inhalation may be harmful. Prolonged inhalation may cause intoxication, headaches, weakness and dizziness. May cause irritation to the mouth, nose, throat, mucous membranes and respiratory tract.

Swallowed: Toxic effects due to may manifest after ingestion. Initial symptoms will be those of intoxication.

Chronic effects:

Based on constituents; may cause illness, systemic poisoning, blindness, and possible death if ingested, inhaled, or absorbed through the skin in excessive quantities.

PRECAUTIONS FOR USE

Personal Protection:

Do not smoke during the application process.
Avoid skin and eye contact, wear goggles to AS 1337
Avoid breathing the vapour,
Avoid carrying contaminated rags, or wearing soaked clothing.
Wash contaminated clothing and protective equipment before re using.
Wash hands before smoking, drinking, eating, or using the toilet.

The following personal protective equipment must be worn.

Overalls or similar protective apparel. Eye protection such as safety glasses. PVC or nitrile gloves, respiratory protection as outlined above.

Toxicity Data: Oral Ld 50 (rat) Xylene 2.5 – 10ml/kg.

Environment:

Non biodegradeable. This product may be hazardous to the environment. Avoid contaminating waterways.

Spills and Disposal:

Remove all sources of ignition. Absorb spillage with sand, earth, but not saw dust. Collect and seal in appropriately labelled containers for disposal. Consult Local Authorities for advice regarding approved disposal methods.

Manufacturers Advice:

This Product Safety Card should be read in conjunction with the label information for the appropriate product.